

MATH 2301

* Nim ordering clarification

You can consider the heaps to be un-ordered.

But keep multiplicity!

E.g. $(1, 1, 2) = (2, 1, 1) = (1, 2, 1)$ but
 $(1, 1, 2) \neq (1, 2)$.

* Nim strategy

** Experiments with XOR.

XOR = exclusive OR, is an operation on binary strings, defined as follows.

Examples

$$\begin{array}{r} 1011_2 \\ \oplus 1011_2 \\ \hline 1110_2 \end{array}$$

Def: The XOR operation is defined as

$$\{0, 1\} \times \{0, 1\} \rightarrow \{0, 1\}$$

$$0 \oplus 1 := 1$$

$$1 \oplus 0 := 1$$

$$0 \oplus 0 := 0$$

$$1 \oplus 1 := 0$$

(aka addition mod 2)

Extend this to binary strings by right-aligning them and applying XOR column-wise.

(If one string is shorter than the other, then pad it with 0s on the left.)

E.g.

$$\begin{array}{r} 111_2 \\ 01_2 \\ \oplus 11011_2 \\ \hline 11101_2 \end{array}$$

Rmks

- XOR is commutative:

$$x \oplus y = y \oplus x$$

- XOR is associative:

$$(x \oplus y) \oplus z = x \oplus (y \oplus z)$$

Rmk:

Two binary strings are considered equal if they are the same up to an initial sequence of zeroes:

$$01_2 = 1_2 = 001_2$$

- $x \oplus x = 0$ for every x .

** Some nim games (Nim sum)

- $(3, 3, 5)$: convert each pile size to a binary number: write as the sum of distinct powers of 2, and put a 1 for every power that appears, and a 0 for every power that doesn't appear.

$$3 = 2 + 1 = 2^1 + 2^0 = 11_2$$

1 1

$$5 = 4 + 1 = 2^2 + 2^0 = 101_2$$

$$\underline{1} \quad \underline{0} \quad \underline{1}$$

Nim sum of $(3, 3, 5)$ is also denoted

$$3 \oplus 3 \oplus 5 = \underbrace{11_2 \oplus 11_2}_{=0} \oplus 101_2 = 101_2$$

$(2, 3, 1)$

$$2 \oplus 3 \oplus 1 = 10_2 \oplus 11_2 \oplus 1_2 = \begin{array}{r} 10 \\ 11 \\ \oplus 01 \\ \hline 00_2 \end{array} = 0_2$$

$$(n, n) \rightsquigarrow n \oplus n = 0_2$$

** Def: Let (n_1, \dots, n_k) be a game state for nim.

Its nim-sum is $n_1 \oplus \dots \oplus n_k$. That is, the XOR of the binary representations of n_1, n_2, \dots, n_k .

** Theorem: A game position in nim is a:

P position iff its nim-sum is 0.

N position iff its nim-sum is non-zero.

** Example: $(4, 5, 6, 13)$

$$\begin{array}{r} 100_2 \\ 101_2 \\ 110_2 \\ 1101_2 \\ \hline 1010_2 \end{array}$$

} \Rightarrow (N) winning position (by them)

Theorem + our knowledge of N/P labeling tells us that there must be a move that takes us to a P position, i.e. one whose nim-sum is zero.

** Example : $(4, 5, 6, 13) \xrightarrow{?} (4, 5, 6, 7)$

$$\begin{array}{r} 100_2 \\ 101_2 \\ 110_2 \\ \hline 1101_2 \\ \hline 1010_2 \end{array}$$

$$\begin{array}{r} 100_2 \\ 101_2 \\ 110_2 \\ 111_2 \\ \hline 000_2 \end{array}$$

A winning move is one that keeps an even number of 1s in each column \Leftrightarrow XOR is zero

** Example $(7, 4, 5) \rightarrow (1, 4, 5)$
 $(7, 4, 5) \rightarrow (7, 2, 5)$
 $(7, 4, 5) \rightarrow (7, 4, 3)$

$$\begin{array}{r} 111_2 \\ 100_2 \\ \oplus 101_2 \\ \hline 110_2 \end{array}$$

Observe : A state is "N" iff ^{at least} one of the columns has an odd number of 1s.

Strategy : Consider the leftmost column w/ an odd number of 1s. Choose any one number that has a 1 in this column.

$$\begin{array}{r}
 \textcircled{111_2} \\
 100_2 \\
 \oplus 101_2 \\
 \hline
 \textcircled{110_2} s
 \end{array}$$

Strategy: Take this number, say n .

Let s be the nim-sum

Take $n \oplus s$. Convert to decimal, and replace n by this new number.

$$\begin{array}{r}
 111_2 \\
 \oplus 110_2 \\
 \hline
 \end{array}$$

$$001_2 = 1 \text{ (in decimal)} \Rightarrow (7, 4, 5) \rightarrow (1, 4, 5)$$

or,

$$\begin{array}{r}
 100 \\
 \oplus 110_2 \\
 \hline
 010_2 = 2
 \end{array}$$

$$\Rightarrow (7, 4, 5) \rightarrow (7, 2, 5)$$

or

$$\begin{array}{r}
 101_2 \\
 \oplus 110_2 \\
 \hline
 011_2 = 3
 \end{array}$$

$$\Rightarrow (7, 4, 5) \rightarrow (7, 4, 3)$$